

ENTRANCE DOOR CATALOG




STATUS



Exterior finish - 12mm MDF
 Interior finish - 12mm MDF
 Metal thickness in the door leaf - 1.5mm
 Metal thickness in the frame - 1.6mm
 Door leaf thickness - 85mm
 Frame thickness - 100mm
 Door leaf filling - mineral wool
 Frame filling - mineral wool
 Reinforcement ribs - 7
 Sealing - 2 contours
 Main lock - KALE 252
 Cylinder diameter - 16mm
 Additional lock - A - 257
 Cylinder diameter - 16mm
 Night latch
 Thermal insulation coefficient - 1.4 Wm² K
 Sound insulation - 43 dB


PALERMO



Exterior finish - 12mm MDF
 Interior finish - 12mm MDF
 Metal thickness in the door leaf - 1.5mm
 Metal thickness in the frame - 1.6mm
 Door leaf thickness - 73mm
 Frame thickness - 95mm
 Door leaf filling - mineral wool
 Reinforcement ribs - 7
 Sealing - 2 contours
 Main lock - AVERS T52
 Cylinder diameter - 16mm
 Additional lock - R-35
 Cylinder diameter - 14mm
 Sound insulation - 35 dB

IZMĒRI	Durvju izmēri ar kārbu	860 x 2050mm LABĀ/KREISĀ	960 x 2050mm LABĀ/KREISĀ

MEDINA



Exterior finish - 8mm MDF
 Interior finish - 8mm MDF
 Edges - 10mm MDF, attached separately
 Metal thickness in the door leaf - 1.0mm
 Metal thickness in the frame - 1.2mm
 Door leaf thickness - 65mm
 Frame thickness - 80mm
 Door leaf filling - mineral wool
 Reinforcement ribs - 7
 Hinges - 2 pieces with support hinges
 Additional security - 2 anti-burglary bars
 Sealing - 2 contours
 Lower lock - cylindrical, cylinder diameter 18mm
 Upper lock - cylindrical, cylinder diameter 18mm
 Night latch on the lower lock
 Wide-angle peephole - 180° viewing angle
 Hardware color - aged bronze.

MEDINA



Exterior finish - 8mm MDF
 Interior finish - 8mm MDF
 Edges - 10mm MDF, attached separately
 Metal thickness in the door leaf - 1.0mm
 Metal thickness in the frame - 1.2mm
 Door leaf thickness - 65mm
 Frame thickness - 80mm
 Door leaf filling - mineral wool
 Reinforcement ribs - 7
 Hinges - 2 pieces with support hinges
 Additional security - 2 anti-burglary bars
 Sealing - 2 contours
 Lower lock - cylindrical, cylinder diameter 18mm
 Upper lock - cylindrical, cylinder diameter 18mm
 Night latch on the lower lock
 Wide-angle peephole - 180° viewing angle
 Hardware color - antique bronze.

IZMĒRI

Durvju izmēri ar kārbu

860 x 2050mm LABĀ/KREISĀ

960 x 2050mm LABĀ/KREISĀ

MEDINA




In stock

395 €

Exterior finish - 8mm MDF
 Interior finish - 8mm MDF
 Edges - 10mm MDF, attached separately
 Metal thickness in the door leaf - 1.0mm
 Metal thickness in the frame - 1.2mm
 Door leaf thickness - 65mm
 Frame thickness - 80mm
 Door leaf filling - mineral wool
 Reinforcement ribs - 7
 Hinges - 2 pieces with support hinges
 Additional security - 2 anti-burglary bars
 Sealing - 2 contours
 Lower lock - cylindrical, cylinder diameter 18mm
 Upper lock - cylindrical, cylinder diameter 18mm
 Night latch on the lower lock
 Wide-angle peephole - 180° viewing angle
 Hardware color - antique bronze.

ELLISA



In stock

670 €

Thermal insulation coefficient - 1.4 W/m²K
 Sound insulation - 43 dB
 Exterior finish - 12mm MDF
 Interior finish - 12mm MDF
 Edges - 12mm MDF, attached separately
 Metal thickness in the door leaf - 1.5mm
 Metal thickness in the frame - 1.6mm
 Door leaf thickness - 85mm
 Frame thickness - 100mm
 Door leaf filling - mineral wool
 Frame insulation - mineral wool
 Reinforcement ribs - 7
 Hinges - 2 pieces with support hinges
 Additional security - 2 anti-burglary bars
 Sealing - 2 contours
 Lower lock - KALE 252, cylinder diameter 16mm
 Cylinder - with internal thumbturn
 Upper lock - A-257, cylinder diameter 16mm
 Night latch
 Wide-angle peephole - 180° viewing angle
 Hardware color - polished chrome
 Door leaf adjustment - eccentric for door position adjustment.

IZMĒRI

Durvju izmēri ar kārbu

860 x 2050mm LABĀ/KREISĀ

960 x 2050mm LABĀ/KREISĀ

ABWEHR "LOUNA"



In stock

komplekts - 670,00 €

Sound insulation - 43 dB
Exterior finish - 12mm MDF
Interior finish - 12mm MDF
Edges - 12mm MDF, attached separately
Metal thickness in the door leaf - 1.5mm
Metal thickness in the frame - 1.6mm
Door leaf thickness - 85mm
Frame thickness - 100mm
Reinforcement ribs - 7
Hinges - 2 pieces with support hinges
Lower lock - KALE 252, cylinder diameter 16mm
Cylinder - with internal rotation guard
Upper lock - A257, cylinder diameter 16mm
Night latch
Wide-angle peephole - 180° viewing angle

ABWEHR "VANESSA"



In stock

komplekts - 580,00 €

Sound insulation - 35 dB
Exterior finish - 12mm MDF
Interior finish - 12mm MDF
Edges - 12mm MDF, attached separately
Metal thickness in the door leaf - 1.5mm
Metal thickness in the frame - 1.6mm
Door leaf thickness - 73mm
Frame thickness - 95mm
Reinforcement ribs - 7
Hinges - 2 pieces with support hinges
Lower lock - AVERS T52, cylinder diameter 16mm
Upper lock - R35, cylinder diameter 14mm
Wide-angle peephole - 180° viewing angle

KOMPLEKTS: VĒRTNE, KĀRBA, ENĢES, SLĒDZENE, FREZĒJUMS

IZMĒRI

Durvju izmēri ar kārbu

860 x 2050mm LABĀ/KREISĀ

960 x 2050mm LABĀ/KREISĀ

	CINTIA	CRISTINE	STORO
KOMPLEKTS: VĒRTNE, KĀRBA, ENĢES, SLĒDZENE, FREZĒJUMS			
	In stock vērtne - 499,00 €	In stock vērtne - 616,00 €	In stock vērtne - 591,00 €

The door set includes: a door leaf (solid wood frame) with polystyrene filling, a wooden frame with weatherstripping, a wooden threshold with aluminum strips, hinges, ASSA 565 lock, and clear glass.

IZMĒRI	Durvju izmēri ar kārbu		
		890 x 2088mm LABĀ/KREISĀ	990 x 2088mm LABĀ/KREISĀ

	BASIC B0010	BASIC B0027	BASIC B034
KOMPLEKTS: VĒRTNE, KĀRBA, ENĢES, SLĒDZENE, FREZĒJUMS			
	In stock vērtne - 490,00 €	In stock vērtne - 490,00 €	In stock vērtne - 621,00 €

The door set includes: a door leaf (solid wood frame) with polystyrene filling, a wooden frame with weatherstripping, a wooden threshold with aluminum strips, hinges, ASSA 565 lock, and clear glass.

IZMĒRI	Durvju izmēri ar kārbu		
		888 x 2080mm LABĀ/KREISĀ	988 x 2080mm LABĀ/KREISĀ

Vasarnīcu durvis 458

Vasarnīcu durvis 458 U82

Vasarnīcu durvis l40

KOMPLEKTS: VĒRTNE, KĀRBA, ENĢES, SLĒDZENE, FREZĒJUMS



In stock

komplekts - 295,00 €

In stock

komplekts - 295,00 €

In stock

komplekts - 325,00 €

The door set includes: a door leaf (solid wood frame) with polystyrene filling, a wooden frame with weatherstripping, a wooden threshold, hinges, ASSA 565 lock, and transparent glass.

IZMĒRI

Durvju izmēri ar kārbu

888 x 2080mm LABĀ/KREISĀ

Diamond TS



In stock

komplekts - 3281,00 €

Diamond T



In stock

komplekts - 3140,00 €

Diamond series models combine the luxury of minimalism with an eco-friendly approach. They feature splendid sea veneer finishing and metal inserts. The starting point for the design of these models is sophistication and reliability.

Internal/external steel sheet in the door leaf: 1.4 mm (including polymer powder coating)

1. Decorative internal panel: 10 mm;
2. Optional Blockido lock, up to 4th anti-burglary class;
3. Italian-made SECUREMME 2600 cylinder lock with electric latch for your convenience;
4. Anti-burglary plate to protect the lock from tampering; 5 mm foil penofol insulation;
5. Mineral board in the stiffening ribs for strength;
6. Door closer - an additional security mechanism that functions as the third lock;
7. 2 mm cork layer;
8. Polystyrene foam filling (2 layers) - thermal insulation material;
9. SECUREMME K2 cylinder with thermal break and rekeying function;
10. Decorative external panel: 10 mm;
11. Two glass packet windows, with tinted interior and transparent exterior;
12. Handle with touch button and electric latch for easy door operation;
13. Stainless steel threshold on the outside and inside.

KOMPLEKTS: VĒRTNE, KĀRBA, ENĢES, SLĒDZENE

IZMĒRI

Durvju izmēri ar kārbu

860 x 2050mm LABĀ/KREISĀ

950 x 2050mm LABĀ/KREISĀ

Snegir 55 PP



In stock

komplekts - **1083,00 €**

Snegir PRO



In stock

komplekts - **664,00 €**

Snegir - an entrance door series designed specifically for installation in private homes. Thermal break is present both in the door leaf and the frame.

1. Door leaf thickness: 108 mm;
2. Two steel sheets, 1.4 mm + 1 mm, including the coating;
3. Polystyrene foam filling (2 layers);
4. Stiffening ribs filled with mineral board;
5. Three-contour rubber seals;
6. Decorative stainless steel threshold on the external frame;
7. Top lever lock BORDER 3B 8-8G/15, 4th security class;
8. Bottom lever lock CRIT 3B-A-30 5LD, 3rd security class;
9. Door closer;
10. ProfFero LD-13 handle on a separate base;
11. Lever lock;
12. Internal MDF panel, 10 mm with PVC coating;
13. Two hinges with support bearings.

KOMPLEKTS: VĒRTNE, KĀRBA, ENĢES, SLĒDZENE, FREZĒJUMS

IZMĒRI

Durvju izmēri ar kārbu

880 x 2050mm LABĀ/KREISĀ

950 x 2050mm LABĀ/KREISĀ

Super Omega PRO



In stock

komplekts - **964,00 €**

Super Omega PRO



In stock

komplekts - **933,00 €**

Super Omega PRO - these are secure apartment doors with high technical specifications and stylish modern design.

1. 90 mm thick 1.4 mm cold-rolled steel sheet with coating;
2. Multilayer filling - high-density mineral board and polystyrene foam;
3. Two-contour seals on the fabric - rubber and magnetic;
4. Rubber seal on the frame;
5. Stainless steel threshold (optional);
6. Cylinder lock up to C1, 4th class;
7. Reinforced armor plate (optional);
8. 3V8-6PK/15 lever lock with a hook system, 4th class;
9. Eccentric for adjusting the sealing pressure;
10. Durable handle on a separate base;
11. Wide-angle peephole;
12. External finish - powder-polymer coating with decorative elements made of stainless steel (optional);
13. Hinges on bearings for smooth opening.

KOMPLEKTS: VĒRTNE, KĀRBA, ENĢES, SLĒDZENE, FREZĒJUMS

IZMĒRI

Durvju izmēri ar kārbu

860 x 2050mm LABĀ/KREISĀ

950 x 2050mm LABĀ/KREISĀ

Ultimatum Edge



In stock

komplekts - 2495,00 €

Ultimatum MP



In stock

komplekts - 988,00 €

The Ultimatum Edge model is refined perfection. Minimalism and harmony. Modern style and innovative design. Detailed status and prestige.

1. 85 mm thick coated 2.0 mm cold-rolled steel door leaf.
2. The second steel sheet is 0.7 mm coated, increasing the stiffness of the door leaf.
3. Combined filling - insulation, high-density mineral board, foil penofol. Vibro-noise insulation with STP GB on the castle territory.
4. Harsh vertical ribs.
5. 2-contour seals on the fabric: rubber and magnetic.
6. Torex logo, confirming the authenticity of the product.
7. The steel door frame is three-chain, tightly folded, 106 mm deep with Q-Ion sealant around the perimeter.
8. Stainless steel threshold.
9. Securemme 2603 cylinder lock with two deviators.
10. Handle with a separate base.
11. Wide-angle peephole.
12. External 10 mm MDF panel.
13. Internal 10 mm MDF panel.

KOMPLEKTS: VĒRTNE, KĀRBA, ENĢES, SLĒDZENE, FREZĒJUMS

IZMĒRI

Durvju izmēri ar kārbu

860 x 2050mm LABĀ/KREISĀ

950 x 2050mm LABĀ/KREISĀ

Ultimatum MP



In stock

komplekts - **1238,00 €**

Ultimatum M PP



In stock

komplekts - **1095,00 €**

The **Ultimatum** model - the choice of perfectionists: style, good protection, and interior decoration. It takes into account all modern requirements for apartment entrance doors.

1. Fabric frame structure with reinforcement ribs; Door leaf thickness of 75/85 mm, frame depth of 120/130 mm (MP/PP);
2. Installation of "frameless" external panels;
3. 10 mm MDF panel or combined 10 + 16 mm; Door leaf steel - 1.8 mm with polymer powder coating up to 2 mm;
4. Multi-level sound insulation (mineral board + insulation + STP GB) up to 30 dB;
5. Internal filling - insulation + 60 mm mineral board + insulation, STP GB vibration and noise isolator in the lock pocket;
6. Two sealing chains, including magnetic ones;

Main lock - Crete 3IK-7PM cylinder lock,
Additional lock - suvaldny Blokido 3I8-6PL5/15 or 3I8-6BP5/15;

9. Night latch in standard equipment;
10. New high-quality peephole;
11. FORCE option for enhanced security: lower deflector and anti-burglary lock insert made of porcelain ceramic;
12. Stainless steel threshold (optional);
13. Modern, specially designed square-shaped chrome (basic) or black (optional) hardware.

KOMPLEKTS: VĒRTNE, KĀRBA, ENĢES, SLĒDZENE, FREZĒJUMS

IZMĒRI

Durvju izmēri ar kārbu

860 x 2050mm LABĀ/KREISĀ

950 x 2050mm LABĀ/KREISĀ

X5 NEW MP



In stock

komplekts - 484,00 €

X5 PP



In stock

komplekts - 503,00 €

The X5 model is an optimal choice for those who seek quality at a pleasant price. These doors with a concise design will enhance any interior. The external finish features PVC-coated MDF panels, while the internal finish utilizes panels with PVC coating.

1. The thick 75 mm door leaf is made of 1.0 mm coated cold-rolled steel;
2. The filling material is expanded polystyrene; Two-contour rubber seals;
3. Wide strip covering a gap up to 45 mm;
4. Fuaro V10/C cylinder lock, 4th class;
5. Fuaro V10/C lever lock, 3rd class;
6. Sturdy handle on a separate base;
7. Wide-angle peephole;
8. External finish: PPP/MDV 10mm;
9. Internal finish: Scandinavian panel, 6 mm with PVC coating;
10. Hinges on bearings for easy opening;
11. Night latch;
12. Door adjustment mechanism.

KOMPLEKTS: VĒRTNE, KĀRBA, ENĢES, SLĒDZENE, FREZĒJUMS

IZMĒRI

Durvju izmēri ar kārbu

860 x 2050mm LABĀ/KREISĀ

950 x 2050mm LABĀ/KREISĀ

X7 PRO



In stock

komplekts - 607,00 €

X7 PRO



In stock

komplekts - 563,00 €

The X7 model is an optimal choice for high-quality doors at a pleasant price. This model incorporates all your needs: a thicker frame, style, burglary-resistant locks, and an attractive price. Such materials and components (e.g., eccentric and lock systems) are typically used in higher-priced models.

1. The thick 85 mm door leaf is made of 1 mm coated cold-rolled steel;
2. The filling material is expanded polystyrene; Three-contour rubber seals;
3. The casing covers a gap up to 61 mm;
4. Fuaro V10/C cylinder lock, 4th class;
5. Fuaro V10/C lever lock, 3rd class;
6. Durable handle with a separate base;
7. Wide-angle peephole;
8. External finish: PPP/MDV 10mm;
9. External finish: durable Boucle Grey graphite powder coating;
10. Internal finish: Scandinavian panel, 6mm PVC coating;
11. Gaps are filled with loop-shaped solid bearings.

KOMPLEKTS: VĒRTNE, KĀRBA, ENĢES, SLĒDZENE, FREZĒJUMS

IZMĒRI

Durvju izmēri ar kārbu

860 x 2050mm LABĀ/KREISĀ

950 x 2050mm LABĀ/KREISĀ

Delta PRO



In stock

komplekts - 784,00 €

Delta PRO



In stock

komplekts - 607,00 €

Delta PRO



In stock

komplekts - 733,00 €

KOMPLEKTS: VĒRTNE, KĀRBA, ENĢES, SLĒDZENE, FREZĒJUMS

Delta PRO is a door model:

- with a reliable locking system;
- meeting GOST requirements for thermal and sound insulation with indicator markings;
- featuring new, modern decorative panels;
- available in a wide range of sizes.

The Delta PRO model belongs to the category of frame structures and has several characteristic features:

- The door leaf is made of 1.4 mm thick coated steel;
- The door frame is made of 1.4 mm thick coated steel;
- The frame depth is 119.5 mm; Proven materials are used as insulation for thermal and sound insulation:
- High-density mineral board;
- Composite material reinforcement frame; In the new models, MDF panels of 6, 10, and 16 mm are used as internal finishing elements.

IZMĒRI

Durvju izmēri ar kārbu

860 x 2050mm LABĀ/KREISĀ

950 x 2050mm LABĀ/KREISĀ